





**DOCUMENT HOLDERS**




Plastic Document Holder	
Made of chemical resistant high impact plastic. Cover is smoked polycarbonate and includes permanently adhered gasket. Moisture resistant.	
Part No.	Size
TL97960	5.86" x 5.22" x 1.85"



Lexan Certificate Holder	
Surface mount, with spring retainer, tough Lexan body and lens.	
Part No.	Size
820012	4 <sup>7</sup> / <sub>8</sub> " x 5 <sup>7</sup> / <sub>8</sub> " x 1 <sup>5</sup> / <sub>8</sub> "




Document Holder		
Rugged aluminum extruded one piece holder with 4 hole mount Railroad approved.		
Part No.	Dia.	Length
1011536	1 <sup>5</sup> / <sub>8</sub> "	7"
Rubber End Plugs		
1011536-1	--	--




Aluminum Manifest Box	
Mill finish aluminum with stainless steel hardware. Top closes into foam gasket, keeping contents dry. Three 1/4" mounting holes.	
Part No.	Size
1011535	8 <sup>3</sup> / <sub>8</sub> " x 13 <sup>3</sup> / <sub>8</sub> " x 1 <sup>1</sup> / <sub>2</sub> "



Permit Holder	
Laminated for all weather protection. Sealing zipper for easy insertion of paper. Four mounting holes with grommets for easy mounting.	
Part No.	Size
GR43411	6" x 9"



Diecast Aluminum Security Box	
Convenient waterproof storage licenses, permits, maintenance records, titles and registration papers. Clipboard size: 3 <sup>1</sup> / <sub>2</sub> " x 5 <sup>1</sup> / <sub>4</sub> " Lid available under Part No. JK300L.	
Part No.	Size
JK300	5 <sup>1</sup> / <sub>4</sub> " x 7" x 2"



Model 350 Security Box	
Space age "Xenoy" construction. Waterproof protection for titles, licenses, vehicle inspection certificates, etc. Enclosure size: 3 <sup>1</sup> / <sub>2</sub> " x 5" x 1"	
Part No.	Size
JK350	5 <sup>1</sup> / <sub>4</sub> " x 7" x 2"



Model 500 Record Box	
Waterproof protection for all permits, manifests, logs and registrations. Heavy duty high impact plastic. Inside size: 10" x 14".	
Part No.	Size
JK500	11 <sup>1</sup> / <sub>2</sub> " x 16" x 2"



Model 550 Record Box	
Thin box. Will mount on side of exterior post trailer or container without exceeding width limit. Inside size 9 <sup>1</sup> / <sub>2</sub> " x 12 <sup>1</sup> / <sub>4</sub> " x 3/4". High impact plastic. Lid Part No. JK550L.	
Part No.	Size
JK550	10" x 15" x 1 <sup>1</sup> / <sub>4</sub> "



**TRAILER BODY PARTS ACCESSORIES**

**Grote**




Permit Holder	
Formed rust-proof housing with vinyl pouch with self sealing zipper for easy insertion of paper. Easy mounting. Frame O.D. 4 <sup>7</sup> / <sub>8</sub> " x 7 <sup>3</sup> / <sub>16</sub> ".	
Part No.	Window Size
1010248	3 <sup>7</sup> / <sub>8</sub> " x 5 <sup>1</sup> / <sub>8</sub> "

Skylights are molded in one piece from shatter-proof translucent fiberglass reinforced plastic. Supplied complete with self-sealing rubber grommet. For installation into 12" or 16<sup>3</sup>/<sub>16</sub>" diameter holes. Easy snap-in installation with grommet cord.




Size	Part No.
12"	1031143
16"	1013055




Tempered Spring Steel Snap-Lock Pins For Anti-Nose Dive Legs Other Miscellaneous Uses		
Part No.	Dia.	Usable Length
1012039-1/2	1/2"	3 <sup>1</sup> / <sub>2</sub> "
1012039-5/8	5/8"	4"
1012039-3/4	3/4"	4"




Stainless Steel Lock Pin		
Part No.	Dia.	Usable Length
1012040	5/16"	2 <sup>1</sup> / <sub>2</sub> "



Chrome Grab Handle
1/2" diameter steel rod. 13" overall 2" high, with 7" grab. Drilled and countersunk for 1/4" screws. Commercial chrome finish.
<b>Part No. 1014218</b>



Corner Reinforcement	
Heavy duty drop forged corner iron.	
Part No.	Size
1010083	12" x 12" x 1 <sup>1</sup> / <sub>2</sub> "




Folding Step
Investment cast, folding grab or step, zinc plated. Stainless spring holds step in open or closed position. Non-skid step surface. Four inches wide, extends 4 inches when unfolded. <b>Part No. 1032157</b>






## TRAILER BODY PARTS ACCESSORIES



### Adjustable Vent

Aluminum. Fits 11<sup>1</sup>/<sub>4</sub>" x 9<sup>1</sup>/<sub>2</sub>" opening. Lever allows adjustment of air flowing through four 2" diameter holes.


Part No.	Size
1024359	12 <sup>1</sup> / <sub>4</sub> " x 10 <sup>1</sup> / <sub>2</sub> "



### Container Vent

Plastic. Three hole mounting, vents angled on one side.

Part No.	Size
1310520	8 <sup>1</sup> / <sub>8</sub> " x 2 <sup>11</sup> / <sub>16</sub> "



### Vent Door Assembly

White double sealed foamed door with aluminum frame with screen.

Door Ass'y Part No.	1105449
<b>Door Latch Only</b>	<b>1105450</b>
Outside Frame Flange	20" x 15"
Panel Cutout	17 <sup>1</sup> / <sub>2</sub> " x 11 <sup>5</sup> / <sub>8</sub> "
Door Opening	16 <sup>7</sup> / <sub>8</sub> " x 11 <sup>5</sup> / <sub>16</sub> "



### Tire Carriers

Heavy duty 12 gauge formed steel. Black primer finish. Accomodates tires up to 11.00 x 22.00. Available assembled or unassembled. Chain and clip included.

Description	Part No.
Assembled	1010323
Unassembled	1011590
Chain & Clip Ass'y	C-2325

### Nash Style Spare Tire Carrier Mounting Kit

- Black Primer finish
- Includes zinc plated hardware
- Enable installation to I-Beam crossmembers


Part No. 981-00055



## Recessed Gladhand and Electrical Mounting Pans

Recessed pans for use on trailer front ends to recess and protect manifest boxes, gladhands and other front end fixtures. Manufactured from molded ABS material or formed aluminum.


PAN "A"  
.063 aluminum  
with back plate



Pan "A"

Part No.	Thickness	Bottom of cavity	Cutout Size	Overall	Flange	Draft	Application/Replaces
1206116	2 <sup>1</sup> / <sub>2</sub> "	10" x 17"	13" x 20"	17" x 23"	2 <sup>1</sup> / <sub>4</sub> "	10°	Dorsey

PAN "B"  
.063 Aluminum




Pan "B"

Part No.	Thickness	Bottom of cavity	Cutout Size	Overall	Flange	Draft	Application/Replaces
1206117	2 <sup>1</sup> / <sub>4</sub> "	9 <sup>3</sup> / <sub>4</sub> " x 16 <sup>3</sup> / <sub>4</sub> "	12 <sup>1</sup> / <sub>2</sub> " x 19 <sup>5</sup> / <sub>8</sub> "	18" x 25"	2 <sup>1</sup> / <sub>4</sub> "	10°	Dorsey



**TRAILER ROOF COIL**



Approximate weight per running foot  
103" Wide Coils: 4.90 lbs.

Master Coils	
.040 Thickness, 303H16	
Width	Part No.
103"	<b>040X103</b>

Master coils are aluminum trailer roof coil in bulk quantities and are sold by the pound. They vary in weight, with most coils weighing approximately 4000 pounds. This makes a 103" coil approximately 829 feet long.


Cut To Length Coils	
.040 Thick, 3003H16	
103" Wide	
29'	<b>1164512</b>
49'	<b>1164514</b>
54'	<b>1164517</b>

**TRANSLUCENT GLASBORD ROOF PANELS**


**Kemlite®  
TRANSLUCENT  
GLASBORD ROOF PANELS**

Fiberglass .060 & .075 thick roof material in precut coils. 102" wide.

Length	Part No.
28'	<b>NL060X102X28</b>
29'	<b>NL075X102X29</b>
50'	<b>NL075X102X50</b>
54'	<b>NL075X102X54</b>
29'	<b>NL075X102.5X29</b>
54'	<b>NL075X102.5X54</b>



Master Coils	
.075 Thickness : 500 FT	
Width	Part No.
102"	<b>NL075X102XMC</b>



**KEMLITE TRANSLUCENT ROOF REPAIR KITS**

**Kemlite®**



Kemlite Roof repair Kit Part No. 1164524	
CONTENTS:	
1	Quart of T-Mix
1	Tube of catalyst (1/2 Oz.)
1	2' x 4' piece of chopped strand mat
1	3' x 4' piece of embossed film
1	3' x 4' piece of smooth film
2	Mixing cups (1 pint)
2	Squeegees
2	Mixing sticks
1	Pair of gloves

**Kemlite SunPatch® Fiberglass Repair Kit**



Repairs small tears and punctures (12X12)  
Cures in 10 minutes after exposure to UV rays  
Works in hot or cold climates (0 - 100 degrees F)  
No mixing of resin required.

Kit contains 1 patch , 1 squeegee, 2 gloves,  
application instructions, and one MSDS sheet.  
**Part No. 1164530**




**FIBERGLASS SCUFFPLATE**

We are your SOURCE for the sizes you need in heavy duty

**Kemlite®**

**Fiberglass Scuffplate**




**Plastic Divider**  
Stock Length 96"  
Part No. X213X96

.090 (3/32") Thickness		
Height in (")	Length in Feet	Part Number
12	48	NL090X12X48
12	53	NL090X12X53
16	48	NL090X16X48
16	53	NL090X16X53
24	48	NL090X24X48
24	53	NL090X24X53
48	48	NL090X48X48
48	53	NL090X48X53
96	48	NL090X96X48
96	53	NL090X96X53
101	53	NL090X101X53
4' X 9' Sheet		NL090X4X9

.120 (1/8") Thickness		
Height in (")	Length in Feet	Part Number
12	48	NL120X12X48
12	53	NL120X12X53
16	48	NL120X16X48
16	53	NL120X16X53
24	48	NL120X24X48
24	53	NL120X24X53
48	48	NL120X48X48
96	48	NL120X96X48
4' X 8' Sheet		NL120X4X8


**HARDWOOD WEARBAND**

**ALUMINUM WEARBAND**



**LAMINATED OAK**

Part No.	Description
3/4X568	568" Long (47 Feet, 3+ Inches)
3/4X624	624" Long (52 Feet)
1X624	624" Long (52 Feet)




Aluminum for weight savings.  
1.5 lbs. per foot.

Part No.	Description
X511X564	Extruded aluminum, 12" high, (47 feet)
X511X624	Extruded aluminum, 12" high, (52 feet)

**STEEL WEARBAND**

**TUF-SKUF®**



**Hot dip galvanized steel wearband**

Corrugated with closed end corrugations for no-sag loading and unloading. Valley mounted fasteners are scuff proof.

12" High WEARBAND	
Part No.	Description
1014343-47	12" high corrugated steel, 47 feet long.
1014343-52	12" high corrugated steel, 52 feet long.
18" High WEARBAND	
1014344-47	18" high corrugated steel, 47 feet long.
1014344-52	18" high corrugated steel, 52 feet long.




## PLASTIC SCUFFPLATE

### Plastic Scuffplate

Plastic scuffplate is made from high density polyethylene (HDPE), prime pigment, UV-inhibitors, and selected process additives. The HDPE raw material comes from post-consumer waste such as milk bottles as well as manufacturing seconds such as aspirin and soap bottles. This material is cleaned to a purity level of 99% or above HDPE. It resists moisture, corrosion, insect infestation and other elements. It will not absorb moisture, therefore it cannot warp, splinter, crack or rot. Cyclewood plastic scuffplate can be drilled, cut, or routed.

**Current forms of adhesives are not recommended.**



27 Foot Length		
Color	Description	Part No.
Black	5/8" x 12" x 27'	<b>1014345</b>
47 Foot Length		
Color	Description	Part No.
Black	5/8" x 12" x 47'	<b>1014346</b>
White	5/8" x 12" x 47'	<b>1014347</b>
52 Foot Length		
Color	Description	Part No.
Black	5/8" x 12" x 52'	<b>1014348</b>
White	5/8" x 12" x 52'	<b>1014349</b>



## TRAILER FLOORING

LAMINATED HARDWOOD FLOORING SHIPLAP, 12 INCH FACE WIDTH


1 1/8" ("A") THICK BOARDS	
Length	Part No.
26'	<b>11/8X312</b>
47' 3"	<b>11/8X568</b>
1 1/4 ("A") THICK BOARDS	
Length	Part No.
26'	<b>11/4x312</b>
47' 3"	<b>11/4x568</b>
1 3/8 ("A") THICK BOARDS	
Length	Part No.
26'	<b>13/8X312</b>
47' 3"	<b>13/8X568</b>

Restore your Trailer Flooring with Key Polymer Floor Restore Kits! See them in our chemical section!

**KEY POLYMER CORP.**



## APITONG FLOORING





Shiplap  
5 and 7 Inch Widths  
8' to 20' Random Lengths

Board Width	Part No.
7"	<b>1-1/8X7AP</b>
5"	<b>1-3/8X5AP</b>
7"	<b>1-3/8X7AP</b>

Note: Sold by the running foot.


## CONTAINER FLOORING PANELS




19 Ply, 1 1/8" Thick, 4' x 8', Australian Treated  
**Part No. 1310119**



**STEEL PARTS FOR WOOD FLOORS & BOLT KITS**



Trailer Threshold Plate	
Tough 1/8" steel diamond plate. Protects expensive wood flooring from fork lift wear and tear. 1 3/8" lip.	
Part No.	Size
1063098	22 5/8" x 96"




Floor Center Board Channel	
Galvanized steel, 14 gauge. 48' long.	
Part No.	Size
1063099	See Above




Bolt Kit For Bottom Side Rail	
Contains (8) 3/8"-24 x 11/4" TORX® Drive Button Head Grade 8 Screws with Nylon Insert Lock Nuts (Enough bolts and nuts for one crossmember installation)	
Part No. 1157013	


**TRAILER CROSSMEMBERS**




Steel Crossmember				
80,000# PSI				
Part No.	"A"	"B"	Length	Lb/Ft
1157033	3"	2.25"	102"	2.9
1157022	4"	2.25"	96"	3.2
1157031	4"	2.25"	102"	3.2
1157039	6"	2.00"	102"	3.7




Heavy Duty		
4" Steel Crossmember		
Intermodal Specifications		
80,000# PSI		
Part No.	Length	Lb/Ft
1157034	102"	3.45




4" Aluminum Crossmember	
6061T6 Aluminum Alloy	
Part No.	Length
1157030	102"




Crossmember Clip	
3 1/8" High, 3 1/2" Wide	
Part No.	Replaces
1157016	--



Sill Clip	
Part No.	Replaces
1157023	4x5, No holes, w/slot
1157024	4-Hole, 4x5, 2x4 Centers, w/slot



Crossmember Bolt Kit	
Contains fasteners for one trailer crossmember installation; 8 heat treated splined step bolts, 8 nylon washers, and 8 flanged lock nuts. (shown)	
Part No. 1157015	
Part No. 1157012 (torx head-no washers)	

**TRAILER SIDE PANELS**

**FLAT  
AND  
CORRUGATED**

**FLAT PANELS**

PART NUMBER	DESCRIPTION	COMMENTS
<b>STEEL</b>		
<b>0262X49X110WH</b>	49" X 110" STEEL GALAVAN PPW*, .026" Thick	
<b>.050" ALUMINUM, MILL FINISH</b>		
<b>1206134</b>	49" X 120" MILL FINISH ALUMINUM	
<b>.050" ALUMINUM, PREPAINTED</b>		
<b>050X49X110WH</b>	49" X 110" PPW* ONE SIDE, MILL FINISH OPPOSITE	PVC PROTECTIVE COATING
<b>050X49X110WHLP</b>	49" X 110" PPW* ONE SIDE, MILL FINISH OPPOSITE	LESS PROTECTIVE COATING
<b>050X49X120WH</b>	49" X 120" PPW* OPPOSITE, MILL FINISH OPPOSITE	PVC PROTECTIVE COATING

**CORRUGATED PANELS**

<b>1190166WH</b>	FRUEHAUF PANEL, 66 CORRUGATIONS, PPW*	
<b>1190224</b>	DORSEY PANEL, 24 CORRUGATIONS, PPW*	
<b>1190215</b>	GREAT DANE, 15 CORRUGATIONS, PPW*	
<b>1190216</b>	GREAT DANE, 16 CORRUGATIONS, PPW*	
<b>1190316</b>	TRAILMOBILE, 16 CORRUGATIONS, PPW*	4" & 8" CORR. CENTERS
<b>1190315</b>	UTILITY, 15 CORRUGATIONS, PPW*	

**ABBREVIATIONS: PPW:** Prepainted White

**VANFASTIC****Aluminum Repair Kit Self Adhesive Aluminum & Translucent Patches For Panel Repairs**

Can be impressed over rivets. Vanfastic will not add structural integrity; the repair is for cosmetic purposes only.

**Kit No. V1212W**


contains ten 12" x 12" self adhesive white aluminum sheets.

**Kit No. V1224W**

contains five 12" x 24" self adhesive white aluminum sheets.

**Kit No. V1224T**

contains five 12" x 24" self adhesive translucent sheets.



**FRP Panels**  
3/4" Wood Core  
7/8" Total Thickness  
48" Wide, 120" Long  
**Part No. 7/8X48X120**

**FRP Nut & Bolt**

**Part No. 1010360**  
Camtainer Nut  
**Part No. 1010361**  
Camtainer Bolt


200 pcs/bag

**Just peel  
and apply  
over  
damaged  
area**





# TRAILER BODY PARTS NOMENCLATURE



TOP SIDE RAIL, ROADSIDE

TOP SIDE RAIL, CURBSIDE

TOP FRONT NOSE RAIL

NOSE POST OR FRONT POST

CORNER CAP ROADSIDE

CORNER CAP CURBSIDE

ROOF BOWS

ROOF PANEL "ROOF COIL" "ROOFING"

RADIUS PANELS

REPLACEMENT UPPER COUPLER ASSEMBLY (AFT SECTION)

There are many styles and configurations of the various parts used by manufacturers in the construction of their trailers. This is a guide or aid for those unfamiliar with trailer parts and what they are called.

SIDE PANELS

BOTTOM SIDE RAIL, ROADSIDE

SIDE POSTS

"Hat Section"

"Z Post"

"Double Hat"

BOTTOM SIDE RAIL, CURBSIDE

CROSSMEMBERS

DOOR PANELS & HARDWARE

INTERIOR: WEARBANDS  
Flooring

THRESHOLD ANGLE OR PLATE




## STRICK BODY PARTS




## PARTNERSHIP IN PARTS


OUTER RADIUS

**Part No. SK47158**7" white aluminum radius  
A: 105<sup>1/2</sup>" B: 13<sup>1/2</sup>" C: 10<sup>31/32</sup>"**Part No. SK16313**white aluminum  
A: 105<sup>1/2</sup>" B: 10<sup>1/4</sup>" C: 8<sup>3/16</sup>"**Part No. SK14408**white aluminum  
A: 104<sup>1/2</sup>" B: 13<sup>5/16</sup>" C: 8<sup>3/16</sup>"**Part No. SK45305**7" blue aluminum radius  
A: 107<sup>1/2</sup>" B: 13<sup>1/2</sup>" C: 10<sup>31/32</sup>"**Part No. SK01774**5" .090" white aluminum  
A: 110<sup>1/2</sup>" B: 8<sup>1/2</sup>" C: 13<sup>5/16</sup>"**Part No. SK17421**7" bare aluminum radius  
A: 105<sup>1/2</sup>" B: 13<sup>3/16</sup>" C: 8<sup>1/8</sup>"**Part No. SK21887**7" white aluminum radius  
A: 101<sup>1/2</sup>" B: 13<sup>5/16</sup>" C: 15"**Part No. SK52535 (not shown)**7" aluminum radius  
A: 114<sup>1/2</sup>" B: 13<sup>9/16</sup>" C: 8<sup>1/8</sup>"

TOP SIDE RAIL

**Part No. SK01872**A: 5<sup>9/16</sup>" B: 19<sup>3/32</sup>" 51'9<sup>1/4</sup>"**Part No. SK06043**A: 5<sup>9/16</sup>" B: 12<sup>1/32</sup>" 51'9<sup>3/8</sup>"**Part No. SK03396**A: 5<sup>9/16</sup>" B: 13<sup>1/16</sup>" 51'9<sup>1/4</sup>"**Part No. SK01882**A: 6<sup>13/16</sup>" B: 3<sup>1/8</sup>" 51'7<sup>3/4</sup>"**Part No. SK26609**A: 5<sup>9/16</sup>" B: 11<sup>1/16</sup>" 27'3<sup>1/4</sup>"**Part No. SK47454**A: 5' B: 6' 51'9<sup>1/4</sup>"

NOSE RAILS

**Part No. SK01715**one pc. wrap around style, 98<sup>1/2</sup>", 7" radiusA: 5<sup>9/16</sup>" B: 19<sup>3/32</sup>"**Part No. SK52017**straight section for 3 pc. style, 91<sup>7/8</sup>"A: 5<sup>9/16</sup>" B: 12<sup>1/32</sup>"**Part No. SK47284**

straight section for 3 pc. style

A: 5.5625" B: 1.057"

**Part No. SK47428**straight section for 3 pc. style, 85<sup>11/16</sup>"

A: 5" B: 6"

**Part No. SK48607**1 pc. wrap around style, 102<sup>5/8</sup>" 5" radius



**STRICK BODY PARTS**

ROOF BOWS



**Part No. SK27820** 98<sup>7/8</sup>" standard arch-a



**SK01510** 98<sup>7/8</sup>" high arch-a



**SK01511** 92<sup>15/16</sup>" high arch-a



**SK48533** 98<sup>1/8</sup>" high arch-a




**SK01512** 100<sup>3/8</sup>" high arch-a



**SK01513** 99<sup>7/16</sup>" high arch-a




**SK05250** 98<sup>7/8</sup>", 3 piece-b



**SK16012** 98<sup>1/2</sup>", hat style arch-c




**SK06686** 93", anti-snag-d(galv)



**SK45324** 93", anti-snag-d(alum)


CORNER CAPS



**Part No. SK14394** right/curb side  
**SK14393** left/road side  
**SK01792** universal, left side & right side



**SK03500** universal, left side & right side



**SK45290** universal, left side & right side



**SK01792** universal, left side & right side




SK45290




SK03500

BOTTOM RAIL SPLICE

**Part No. SK17344**  
Bottom Rail Splice Plate  
18 5/8" Long-Steel-Punched  
for Bottom Rail #'s  
SK01854, SK01857



**Part No. SK51322**  
Bottom Rail Splice Angle  
8 1/2" Long-Steel-Punched  
for Bottom Rail #'s  
SK01854, SK01857




TOP RAIL SPLICE

**Part No. SK27572**  
Outer Top Rail Splice  
20' Long-Aluminum  
For Top Rail #'s  
SK01872, SK06043




**Part No. SK47598**  
Inner Top Rail Splice  
18 1/2" Long-Steel-Punched  
For Top Rail #'s  
SK01872, SK06043



L/G GUSSET

**Part No. SK03690** roadside L/G gusset  
**Part No. SK03691** curbside L/G gusset



**Part No. SK01112** roadside L/G gusset  
**Part No. SK04101** curbside L/G gusset

REAR FRAME HEADER

**Part No. SK05228** rear header assembly

**Part No. SK01436** rear header assembly



ICC ASSEMBLY

**Part No. SK01185** steppuard assembly


**Part No. SK26883** ICC assembly

**Part No. SK27856** steppuard assembly


**Part No. SK26950** ICC assembly

**Part No. SK47336** steppuard assembly

**Part No. SK27687** ICC bolt on tube assay



FRP BACKUP STRIP



SK17718


**Part No. SK18165**  
Length: 26', 6<sup>7/8</sup>"  
A: 1<sup>5/8</sup>" B: 1<sup>1/4</sup>"  
backup strip for top rail installation on FRP trailers

**Part No. SK17718**  
Length: 26', 6<sup>3/4</sup>" x 3.625"  
A: 3.625" B: 1/4"  
backup strip for bottom rail installation on FRP trailers




# STRICK BODY PARTS

SIDE POSTS



- Part No. SK02155 (steel)**  
A: 1<sup>5</sup>/<sub>16</sub>" B: 5<sup>1</sup>/<sub>4</sub>" 107<sup>1</sup>/<sub>2</sub>
- Part No. SK15909 (alum.)**  
A: 1<sup>1</sup>/<sub>4</sub>" B: 5<sup>1</sup>/<sub>4</sub>" 111<sup>1</sup>/<sub>2</sub>
- Part No. SK27555 (alum.)**  
A: 29<sup>3</sup>/<sub>32</sub>" B: 5<sup>1</sup>/<sub>4</sub>" 116<sup>3</sup>/<sub>16</sub>
- Part No. SK01920 (steel)**  
A: 11<sup>1</sup>/<sub>16</sub>" B: 5<sup>-1</sup>/<sub>2</sub>"
- Part No. SK42630 (steel)**  
A: 3<sup>4</sup>/<sub>"</sub> B: 5" 107<sup>3</sup>/<sub>8</sub>"
- Part No. SK53513 (alum.)**  
A: 15<sup>1</sup>/<sub>16</sub>" B: 6<sup>7</sup>/<sub>8</sub>" 104<sup>1</sup>/<sub>4</sub>"
- Part No. SK47050 (steel)**  
A: .45" B: 6<sup>3</sup>/<sub>4</sub>" 109<sup>3</sup>/<sub>4</sub>"



REAR FRAME POST NOSE POSTS



- Part No. SK01738 (STEEL)**  
LENGTH: 122<sup>1</sup>/<sub>4</sub>" DEPTH: 3<sup>1</sup>/<sub>4</sub>"  
A: 2<sup>1</sup>/<sub>16</sub>" B: 5<sup>1</sup>/<sub>4</sub>" C: 3<sup>1</sup>/<sub>4</sub>"
- Part No. SK06625**  
LENGTH: 109" DEPTH: 1<sup>-5</sup>/<sub>16</sub>"  
A: 2<sup>3</sup>/<sub>4</sub>" B: 5<sup>1</sup>/<sub>4</sub>" C: 1<sup>5</sup>/<sub>16</sub>"


INNER RADIUS

- Part No. SK03903**  
universal galvanized steel  
A: 101" B: 5<sup>1</sup>/<sub>2</sub>" C: 5<sup>1</sup>/<sub>2</sub>"
- Part No. SK44094**  
universal galvanized steel  
A: 105" B: 11<sup>9</sup>/<sub>32</sub>" C: 14<sup>3</sup>/<sub>4</sub>"
- Part No. SK45309**  
universal galvanized steel  
A: 103" B: 7<sup>11</sup>/<sub>16</sub>" C: 15<sup>3</sup>/<sub>4</sub>"
- Part No. SK06782**  
universal galvanized steel  
A: 105" B: 9<sup>63</sup>/<sub>64</sub>" C: 16<sup>3</sup>/<sub>16</sub>"
- Part No. SK27541**  
universal galvanized steel  
A: 107<sup>1</sup>/<sub>2</sub>" B: 4" C: 4<sup>11</sup>/<sub>16</sub>"



- Part No. SK01418**  
A= 2" B=6"  
rear corner post assembly  
120" left hand-roadside
- Part No. SK01420**  
A= 2" B=6"  
rear corner post assembly  
120" right hand-curb side

BOTTOM SIDE RAILS




- Part No. SK01854**  
51' length, 10<sup>5</sup>/<sub>8</sub>"  
A: 8<sup>3</sup>/<sub>4</sub>" B: 1<sup>1</sup>/<sub>2</sub>"
- Part No. SK01857**  
51' length, 10<sup>13</sup>/<sub>16</sub>"  
A: 8<sup>3</sup>/<sub>4</sub>" B: 1<sup>3</sup>/<sub>16</sub>"
- Part No. SK47048**  
27' length, 4<sup>5</sup>/<sub>8</sub>"  
A: 8<sup>3</sup>/<sub>4</sub>" B: 1<sup>3</sup>/<sub>16</sub>"

J-MOULDING

- Part No. SK01803**  
"J" moulding, 1.50" X 12"  
Strick style.  
Inner Dimension: .377  
Outer Dimension: .281



REAR SILL ASSEMBLY



- Part No. SK48714**  
rear sill (assembled)

CROSS-MEMBER ASSEMBLY



- Part No. SK01695**  
steel assembly,  
4" x 101<sup>3</sup>/<sub>8</sub>" primed black with  
welded clips; 3.2# per foot,  
80,000 lb. square inch  
minimum yield.

FLOOR CHANNEL

- Part No. SK52402**  
A=1<sup>19</sup>/<sub>64</sub> B=2<sup>1</sup>/<sub>2</sub>  
aluminum has section  
air electric conduit  
44' 4<sup>3</sup>/<sub>8</sub>"
- 

HINGE STRAPS

- Part No. SK01361**  
hinge strap
  - Part No. 1010170**  
hinge strap
  - Part No. 1010171**  
hinge strap
  - Part No. SK01330**  
hinge butt
-