

MATERIAL SAFETY DATA SHEET
Complies with OSHA's Hazard Communication
Standard 29 CFR 1910.1200
(Substitutes for OSHA form 174)

Fehr Bros. Industries, Inc
895 Kings Hwy, Saugerties, NY 12477
845-246-9525 800-431-3095
FAX 845-246-3330

IDENTITY: FEHR Multi-Purpose Lube PRODUCT NUMBER: 127710 Revision Date: 11-20-2003

SECTION I - Manufacturer's Name & Address:

Fehr Bros. Industries, Inc
895 Kings Hwy
Saugerties, NY 12477

Emergency Telephone: 800-255-3942
Information: 845-246-9525

HMIS CODES: Reactivity: 1 Flammability: 3 Health: 1 Personal Protect: A

SECTION II - Hazardous Ingredients/ Identity Information (All of the ingredients contained in this product are listed on the TSCA inventory)

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER
METHYLENE CHLORIDE **	75-09-2	25 PPM	25 PPM	N/A
MINERAL SPIRITS	8052-41-3	100 PPM	100 PPM	
PROPANE/N-BUTANE	68476-86-8	1000 PPM	600 PPM	N/A

This product contains the toxic chemicals marked with an * Subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40CFR372.

This product contains chemical (s) marked with a + known to the State of California to cause Cancer.

SECTION III: Physical/Chemical Characteristics

Boiling Point	NE	Specific Gravity (water=1)	1.06
Vapor Pressure (mm Hg)	NE	Melting Point:	N/A
Vapor Density (AIR=1)	>1	Evaporation Rate:	>1
Solubility in Water	0%	(Butyl Acetate=1)	
Appearance and Odor:	LIGHT BROWN VISCOUSE WITH CHLORINATED SOLVENT ODOR		

SECTION IV: Fire and Explosion Hazard Data

Flash Point (Method Used): <20 F TCC Flammable Limits: LEL: NE UEL: NE
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS
Unusual Fire and Explosion Hazards: FLAMMABLE---CONTENTS UNDER PRESSURE
EXPOSURE TO TEMPERATURES ABOVE 120* MAY CAUSE BURSTING

SECTION V: Reactivity Data Product Number: 127710

Stability: Unstable: Conditions to avoid:
 Stable: X TEMPERATURES ABOVE 120* F
Incompatibility (materials to avoid): NONE KNOWN
Hazardous Decomposition or Byproducts: May form CO₂, CO, Chlorine, HCL, and Phosgene.
Hazardous Polymerization: May Occur: Will Not Occur: X

SECTION VI: Health Hazard Data

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards (Acute and Chronic):
INHALATION: DIZZINESS. PROLONGED EXPOSURE MAY LEAD TO UNCONSCIOUSNESS.
EYES: STRONG IRRITATION. **SKIN:** MILD IRRITATION. MAY CAUSE LOCALIZED
DEFATTING. **INGESTION:** VOMITING, DIZZINESS, NAUSEA, INTESTINAL CRAMPING.
Carcinogenicity: NTP: YES IARC Monographs: YES OSHA Reg: NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: EXCESSIVE EXPOSURE WILL AGGRAVATE
RESPIRATORY, CARDIVASCULAR OR PULMONARY ILLNESS.

Emergency and First Aid Procedures: **INHALATION:** REMOVE TO FRESH AIR. CONSULT
PHYSICIAN. **EYES:** FLUSH WITH WATER FOR 15 MINUTES. CONTACT PHYSICIAN IF
IRRITATION PERSISTS. **SKIN:** WASH THOROUGHLY WITH SOAP AND WATER. **INGESTION:**
CONSULT PHYSICIAN

SECTION VII: Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled: WIPE UP WITH RAG OR USE SOME
ABSORBENT CLAY MATERIAL.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE, AND
LOCAL GUIDELINES. WRAP CONTAINER AND PLACE IN TRASH COLLECTION.

Precautions to be taken in handling and storing: DO NOT USE OR STORE NEAR HEAT OR OPEN
FLAMES. EXPOSURE TO TEMPERATURES ABOVE 120*F MAY CAUSE BURSTING.
Other precautions: VAPOR MAY COLLECT IN LOW LYING AREAS.

SECTION VIII: Control Measures

Respiratory Protection: USE ONLY IN WELL-VENTILATED AREA.
Ventilation: Local Exhaust—ADEQUATE
Mechanical: N/A Special: N/A Other: N/A Protective Gloves: N/A
Eye Protections: SAFETY GOGGLES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.
Other Protective Clothing or Equipment: CHEMICAL RESISTANT GLOVES SUCH AS VITON OR
DVA
Work / Hygienic Practices: WASH HANDS AFTER USE